

Kamper Ltd.  
Plamen Krastev  
Vasil Levski 212  
Plovdiv, 4003  
Bulgarien

Page 1 of 3

Shipment No. DI221101497  
Customer No. 20665  
Document Date 15. November 2022  
Your contact: Hendrik Wisnowski  
Direct Dialing: +49(0)54094034141  
Fax: +49(0)5409403434  
Mail: h.wisnowski@bunte.com

## Shipment

Shipment No.: DA220021099, Your Reference No.: WSDA220012140 / W2131103

Pos.	No.	Your Item No.	Description	Delivered/ Ordered	Inventory	Unit of Measure
1	42751		<b>BÜNTE Abreißseil, 1050 mm, m. Karabiner/Gabelkopf</b>  BÜNTE breakaway cable 1050 mm, with fork head and ring, red, PVC sheathed	15/15	0	STCK
2	42744		<b>BÜNTE Bügelschloss, universale Diebstahlsicherung rot, f. Zugkugelumkopplungen, Lichtehöhe 50-100 mm</b>	20/20	0	STCK
3	40048		<b>BÜNTE Diebstahlsicherung Safety-Box XL, klappbar XL, collapsible,with dicitus loc</b> BÜNTE Safety Box XL, complete, folding, for securing in unhitched and hitched condition, incl. locking catch and lock	12/12	0	STCK
4	40113		<b>BÜNTE Rohrstütze, Ø 48 x 600 mm, m. Bügelgriff Ø 48 x 600 mm</b> Tubular support diam. 48 x 600 mm	8/8	0	STCK
5	14902		<b>BÜNTE Safety-Box, m. Schloss u. Riegel</b> BÜNTE Safety Box, complete	25/25	0	STCK
6	101300		<b>Chassisklemme, 43 x 12 x 0,85 mm mm</b> Chassis clamp 43 x 12 x 0.8 mm, PU: 100 units	5/5	0	STCK
7	101301		<b>Chassisklemme, 28 x 12 x 0,6 mm mm</b> Chassis clamp 28 x 12 x 0.6 mm, PU: 100 units	20/20	0	STCK
8	10118		<b>GEKA Kabelschelle, Ø 6 mm pu LED</b> GEKA cable clamp 6 mm, PU: 100 units	2/2	0	STCK
9	63768		<b>Trägerklemme Typ SRV Ø 12-14 mm, klem. 2-4 mm</b>	3/3	0	STCK
10	20214		<b>Spannring, 200 mm, Ø 8 mm, schwarz, Gummi, EPDM k;</b> Rubber tensioning ring, 8 mm, 200 mm, black	3/3	0	STCK
11	062861		<b>Abzweiger Ø 60/60/60 mm m. 45° Abgang</b> Abzweiger Ø 60/60/60 mm, mit einseitigem 45° Abgang	1/1	0	STCK
12	40336		<b>Achsstoßdämpferhalter, 90°, 40 x 100 mm, LA 56 mm</b>	4/4	0	STCK

## Shipment

Shipment No.: DA220021099, Your Reference

Page 2 of 3

Shipment No.

DI221101497

Pos.	No.	Your Item No.	Description	Geliefert/ Bestellt	Rückstand	Unit of Measure
			<b>frame, 90€ angled, screwable</b> AL-KO shock absorber mounting for frame, angled 90€, boltable, hot-dip galvanised			
13	402492		<b>Achsstoßdämpferhalter, U-Profil 34 mm</b> <b>, for screwing, galvanised, to</b> KNOTT axle shock absorber mounting, galvanised, for fastening on the frame	4/4	0	STCK
14	20183		<b>Einstecktasche, 50 x 111 x 25,5 (innen)/29,9 mm</b> <b>sides, not galvanised,</b> Insertion pocket 25 - 26 (interior dimensions) x 50 x 110 mm, bare, open at both ends	2/2	0	STCK
15	201830		<b>Einstecktasche, 50 x 90 x 25,5 (innen)/29,3 mm</b> <b>Lochabstand 65 mm, Bohrungen Ø 6,5 mm, verzinkt</b> Insertion pocket 25 - 26 (interior dimensions) x 50 x 90 mm, galvanised, open at both ends	4/4	0	STCK
16	20276		<b>Planenrohrverbinder, 180° gerade, 2-armig</b> <b>f. Quadratrohr 30 x 30 x 1,5-2 mm, Kunststoff</b> Tarpaulin tube connector, plastic, straight, square 30 x 30 x 2.0 mm	4/4	0	STCK
17	202761		<b>Planenrohrverbinder, 180° gerade, 2-armig</b> <b>m. Metallkern, f. Quadratrohr 30 x 30 x 1,5-2 mm</b> Planenrohrverbinder, 180° gerade, 2-armig, mit Metallkern, für Quadratrohr 30 x 30 x 1,5-2 mm, Kunststoff	4/4	0	STCK
18	20281		<b>Planenrohrverbinder, 90° Kreuz, 4-armig</b> <b>f. Quadratrohr 30 x 30 x 1,5-2 mm, Kunststoff</b> Tarpaulin tube connector, plastic, cross shape, 4-arm, square 30 x 30 x 2.0 mm	4/4	0	STCK
19	202791		<b>Planenrohrverbinder, 90° T-Stück, 3-armig</b> <b>m. Metallkern, f. Quadratrohr 30 x 30 x 1,5-2 mm</b>	2/2	0	STCK
20	20279		<b>Planenrohrverbinder, 90° T-Stück, 3-armig</b> <b>f. Quadratrohr 30 x 30 x 1,5-2 mm, Kunststoff</b> Tarpaulin tube connector, plastic, T-shape, 3-arm, square 30 x 30 x 2.0 mm	2/2	0	STCK
21	402590		<b>BÜNTE Gegenplatte, 142 x 132 x 3 mm, f. Zurrmulde</b> <b>trap 40259</b> Backing plate for lashing recess 40259, galvanised, 131 x 142 mm	54/54	0	STCK
22	40259		<b>BÜNTE Zurrmulde, quadratisch, 105 x 105 x 25 mm</b> <b>sible, galvanised, with spring</b> Lashing recess with ring and spring, galvanised, 105 x 105 mm, 800 daN	54/54	0	STCK
23	64183		<b>BÜNTE Zurrbefestigung ZBF50-1</b> <b>galv. verz.</b>	100/100	0	STCK
24	40050		<b>Typenschild, 38 x 148 x 0,5 mm, Bohrungen Ø 3 mm</b> <b>s, aluminium, 148 x 38mm</b>	1/1	0	STCK

## Shipment

Shipment No.: DA220021099, Your Reference

Page 3 of 3

Shipment No.

DI221101497

Pos.	No.	Your Item No.	Description	Geliefert/ Bestellt	Rückstand	Unit of Measure
			Type plate, neutral, 148 x 38 mm, aluminium, for trailers			
25	20277		<b>Planenrohrverbinder, 90° Winkel, 2-armig f. Quadratrohr 30 x 30 x 1,5-2 mm, Kunststoff</b> Tarpaulin tube connector, plastic, angular corner connector, 2-arm, square 30 x 30 x 2.0 mm	4/4	0	STCK
26	202771		<b>Planenrohrverbinder, 90° Winkel, 2-armig m. Metallkern, f. Quadratrohr 30 x 30 x 1,5-2 mm</b> Tarpaulin tube connector, plastic, angular corner connector, 2-arm, square 30 x 30 x 2.0 mm	2/2	0	STCK
27	20278		<b>Planenrohrverbinder, 90° Winkel, 3-armig f. Quadratrohr 30 x 30 x 1,5-2 mm, Kunststoff</b> Tarpaulin tube connector, plastic, angular corner connector, 3-arm, square 30 x 30 x 2.0 mm	4/4	0	STCK
28	20184		<b>Einstecktasche, 50 x 111 x 28 (innen)/32,4 mm sides, not galvanised,</b> Insertion pocket 28 (interior dimensions) x 50 x 110 mm, bare, open at both ends	2/2	0	STCK
29	20185		<b>Einstecktasche, 80 x 111 x 25,5 (innen)/29,9 mm Lochabstand 40 mm, Bohrungen Ø 6,5 mm, Stahl roh</b> Insertion pocket 26 (interior dimensions) x 80 x 110 mm, open at both ends	1/1	0	STCK
30	67		<b>shipping costs Bulgaria</b>	1/1	0	Stück

**Delivery Type:** Hellmann

**Nettogesamtgewicht in kg:** 171,65